

dmXLAN Switch GBx10



The dmXLAN switch GBx10 is a programmable gigabit switch (10/100/1000). It has been designed specifically to meet the needs of events to reliably handle the high volumes of data used in light (e.g. Art-Net), sound (e.g. DANTE), and video protocols.

The configuration of virtual networks (VLAN), redundant network links and trunks can be easily and simply achieved by means of the integrated color screen or the free software dmXLAN.

The GBx10 has four gigabit Ethernet ports with PoE (IEEE 802.3af-2003) on the front. The back panel features four gigabit Ethernet ports with no PoE and 2 SFP+ Cages with a data rate up to 2.5 Gbit for SFP+ fiber modules.

The GBx10OPT has 2 Neutric Opticalcon Duo MM connectors on the front instead of the 2 SFP+ cages on the back. The GBx18FF has 2 FiberFox MM connectors on the front instead of the 2 SFP+ cages on the back.

The dmXLAN switch GBx10 can act as master for the ELC node8GBxSL.

Features

- Real-time backup loops
- Local colour screen and rotary encoder
- 4 × 1Gbps Network Ports with PoE (802.3af-2003 Standard) on the front with RGB LED
- 4 × 1Gbps Network Ports on the rear
- Supported by dmXLAN software
- Partition of the network into separate VLANs
- Can act as master for the dmXLAN nodeGBxSL 8

Technical Data

- Dimensions: 19" × 1U × 165mm
- Weight: 2,45Kg
- Power: 100-240VAC, 50 - 50Hz, Switched PSU on Powercon True1
- Consumption: max 60W
- Heat dissipation: max 10W
- Connections: 8 × Neutrik RJ45 Ethercon, 2 × Powercon True1, 2 × SFP cages
- Controls: TFT multicolor display and rotary encoder/pushbutton for setup menu selection

Item Number

- SW10GBX
- SW10GBXOPT
- SW10GBXFF